



Specialist by Competence.

Delta OHM - time-tested & innovative.

Specialists by Competence.

Delta OHM









Delta OHM is located near Padua, outside Venice. Since its founding in 1978, Delta OHM, with its current staff of 60 employees, has established an excellent international reputation in its work on the development and production of electronic measuring devices. The product assortment of Delta OHM comprises a broad spectrum from simple transmitters or handheld measuring devices to independently operating measuring system solutions with remote data transmission.

Delta OHM currently exports to over 70 countries.

The quality of the products is assured, among other things, by the in-house calibration laboratory accredited according to ISO 17025 (ilac-MRA ACCREDIA LAT N° 124).

The merger with the GHM Messtechnik Group in 2015 opened up new possibilities for Delta OHM. The company headquarters, sales, marketing and training centre of the GHM GROUP is situated in Erolzheim in southern Germany. All members of the GHM GROUP (Greisinger, Honsberg, Martens, Imtron, T&A and Delta OHM) operate in their respective locations as centres of competence for product development, production and materials handling.

Delta Ohm products are still handled by international Delta Ohm distribution in Padua and product specialists within the GHM Group.



ACCREDIA LAT N° 124 laboratory photometry / radiometry measurements



Delta OHM calibration laboratories are accredited according to ISO 17025 (ilac-MRA ACCREDIA Lat N° 124) for the measurement of the following physical factors:

- Temperature
- Air speed
- Humidity
- Photometry / radiometry
- Pressure
- Acoustics



Markets



Our focus markets in which Delta OHM products have been proven for years:

- Environment, labour protection occupational safety and medicine
- Alternative energies (photovoltaics, wind power)
- Meteorology, geology, hydrology, weather forecasting
- Agriculture, agro-meteorology, animal husbandry, fish breeding
- Ventilation and air conditioning, building automation
- Museums, shopping centres and public places

- Medicine, hospitals, chemical and pharmaceutical laboratories
- Water analysis, laboratories
- Food
- Infrastructure (roads, railway, airports, harbours)
- Industrial applications (pneumatics and others)

Environment, labour protection, occupational safety and medicine





e.g. data logger HD 2402 for incoherent optical radiation, sound level meter HD 2110L, photometer/radiometer HD2102.1 and HD2102.2

Comprehensive product range for detection and evaluation of environmental conditions in the workplace regarding temperature, noise, vibration, lighting and room air quality.

The measuring devices are oriented towards current standards – the technical regulations (labour protection) on the topic – "Incoherent optical radiation".

- Sound level measuring devices (class 1 and 2), noise sources and calibrators
- Vibration measuring devices and calibrators
- Photometers and radiometers for detection of lighting strength, UVA, UVB, UVC, etc.
- Incoherent optical radiation
- WBGT, PMV, microclimate data logger
- Room air quality CO₂, CO



Alternative energies (photovoltaics, wind power)



We offer various measuring solutions specifically for detection and improvement of efficiency of solar and wind power systems:

- Portable radiometer
- Pyranometer (all classes)
- Temperature sensors for solar panels
- Pyrheliometer
- Sensors for measurement of sunshine duration
- Sensors for measurement of wind speed and direction
- IPV modules and other products

Of course, we also offer the appropriate data logger components for all aforementioned variables.



e.g. 3-axis ultrasonic wind meter HD 2003/HD 2003.1, pyrheliometer LP PYRHE 16, pyranometer LP PYRA 02

Meteorology, geology, hydrology, weather forecasting and agro-meteorology









e.g. weather station HD32.35, ultrasonic anemometer HD52.3D, rain meter HD 2013

Measurement solutions for exact and reliable detection of nearly all relevant variables, such as:

- Portable radiometer
- Pyranometer (all classes)
- Albedometer
- Pyrgeometer
- Pyrheliometer
- Rain detector and rain gauge
- Data logger
- Weather stations
- 2D/3D ultrasonic anemometer

Sensors for measurement

- of sunshine duration
- of barometric air pressure
- of temperature (also ventilated) and air humidity
- of leaf wetness
- of floor humidity and temperature
- of UVA/UVB radiation
- of UV index
- of photosynthetically activated radiation (PAR)
- of radiation balance ("net radiometer")




Ventilation and air conditioning, building automation



A wide spectrum of applications is covered with our portable and industrial measuring technology for temperature, air speed, (impeller, heat wire, pitot dynamic pressure), air humidity, differential pressure, lighting and room air quality ($\mathrm{CO_2}/\mathrm{CO}$). The applications range from measurement of individual parameters (e.g. differential pressure monitoring of an air filter) to complex wireless data logger systems with which a variety of parameters are automatically detected and documented.

Museums, shopping centres and public places

In addition to the aforementioned applications, we offer solutions for special environments, such as the monitoring of light conditions in museums.



e.g. HD 35 series/mobile wireless connection only with Access Point HD 35 APG, thermo-anemometer HD 2103.1, HD 2103.2 and temperature/humidity data logger indicator/regulator transmitter HD 2817T

Medicine, hospitals, chemical and pharmaceutical laboratories







e.g. HD 208 series mini data logger, low-pressure transmitter HD404

In addition to the aforementioned general ventilation and air conditioning requirements, there are additional special requirements, such as the continuous monitoring of cooling or heating cabinets, measurement of inlet flow speed of fume cupboards or differential pressure monitoring of operation rooms and clean rooms.

Delta OHM offers suitable handheld measuring devices, data loggers and wireless data logger systems for these applications.

Software options that satisfy FDA requirements CFR21 part 11 are available for electronic measurement data recording.

We offer the right solution for radiometric applications (UVA, UVB, UVC, UVeff, etc.).



Water analysis, laboratories



For mobile use, for use in the laboratory or use in industrial applications for measurement of:

- pH value
- Conductivity
- Redox potential
- Oxygen concentration
- Turbidity

The handheld measuring devices also offer the possibility of simultaneously measuring and reliably storing pH value, conductivity and temperature.




e.g. pH meter HD 3405.2 tabletop unit

Specialists by Competence.

Food







Monitoring of perishable (food, medication, etc.) or fragile goods during transport, e.g. with the wireless data logger HD 35.

Temperature and humidity monitoring is a central topic, e.g. for the production, packaging, transport and storage of foods (cold chain monitoring).

Delta OHM offers a broadly diversified assortment of temperature / humidity measuring technology, starting with the handheld measuring device with temperature sensor, to devices with data logger function and wireless data logger systems with automatic data acquisition.

Our UVC measuring devices are used for pasteurisation/sterilisation applications.



Infrastructure (roads, railway, airports, harbours)



Measuring equipment for continuous monitoring of wind speed (bridges, cranes, etc.) and lighting (road lighting, tunnel entrance haze luminance) and general weather parameters (see meteorology).

Our data loggers are frequently used for concrete hardening.

With integrated thermocouples, the temperature in the concrete is continuously monitored and recorded, wherein optimal properties of the end product can be assured.





e.g. temperature data logger for up to 16 measuring points HD32.8/16

Industrial applications





In addition to the measuring devices and applications shown on the previous pages, we offer additional measurement solutions for special industrial applications.

These includes, for example, sensors for measurement of dewpoint/humidity in compressed air systems or a wide assortment of manometers, barometers and pressure transmitters for numerous tasks.



e.g. RH compressed air probe HP480 - T480.1 - S.TC2.480.2 and relative pressure transmitter HD3604T



Physical variables



Delta OHM offers portable (or handheld) and industrial measuring devices for measurement of:

- Temperature
- Humidity (rel. humidity/dewpoint)
- Pressure
- Air speed
- Photometric and radiometric variables (such as Lux, UVA, UVB, UVC, UVeff, PAR, PHOT, BLUE, etc.)
- Sound level
- Vibration
- Gas concentration (CO₂, CO)

and for a number of derived characteristics and indices.

Delta OHM also offers calibration laboratories that are accredited according to ISO 17025 (ilac-MRA ACCREDIA Lat N° 124) for the measurement of the following physical factors:

- Temperature
- Air speed
- Humidity
- Photometry/radiometry
- Pressure
- Acoustics



Calibration laboratories





ACCREDIA LAT N° 124 Acoustic measurement laboratory




ACCREDIA LAT N° 124 Temperature measurement laboratory



ACCREDIA LAT N° 124 Humidity measurement laboratory



ACCREDIA LAT N° 124 Pressure measurement laboratory



ACCREDIA LAT N° 124 Photometry and radiometry measurement laboratory



ACCREDIA LAT N° 124 Air speed laboratory

Delta OHM has an in-house calibration laboratory in Padua that is accredited according to ISO 17025 for measurements of the following physical factors:


- Temperature
- Humidity
- Pressure
- Air speed
- Photometric/radiometric variables
- Sound

ACCREDIA is the Italian national accreditation authority and is a member of the EA, IAF and ILAC European and international accreditation organisations.

ACCREDIA also has signed the same multilateral agreements on mutual recognition (EA MLA, IAF MLA and ILAC MRA).

The purpose of these agreements is the mutual recognition of testing conducted in order to avoid technical trade barriers and cost-intensive repetitive testing.









Contact persons



Michaela Zavan Site Manager

Delta OHM S.r.l. Via Marconi 5 35030 Caselle di Selvazzano Padova (PD) | ITALY Phone +39 049 8977150 Fax +39 049 635596



Heerco Walinga International Business Development Manager

Delta OHM S.r.l. Via Marconi 5 35030 Caselle di Selvazzano Padova (PD) | ITALY Phone +39 049 8977150 Fax +39 049 635596



FOUNDING

GHM Messtechnik, a complete provider for measurement technology and industrial electronics, was formed in 2009 through the consolidation of the companies GREISINGER electronic, Honsberg Instruments and Martens Elektronik.

■ FUTURE-ORIENTED

In March 2010 Imtron Messtechnik was the fourth company integrated into the GHM Group and these companies merged in July 2013 to form GHM Messtechnik. The new sales and training centre was established in Erolzheim in the course of this reorganisation. T&A Telemetrie & Automation joined in March 2014 as a new partner in the field of control technology. At the end of 2015, Delta OHM was acquired as the newest member of the GHM Group, which expanded the target group of the GHM Group to areas such as renewable energies or meteorology, etc.

RESOURCES

With about 300 employees and more than 35 developers in the seven locations in Erolzheim, Regenstauf, Remscheid, Barsbüttel, Owingen, Kassel and Padua, GHM Messtechnik offers a complete product portfolio for the widest variety of requirements of measurement technology.

SALES

Our distribution network throughout Germany provides outstanding technical advice with our field staff. Supplemented by our sales subsidiaries in the Czech Republic, Denmark and the Netherlands, as well as sales partners throughout Europe, in North and South America, Asia and Africa, we have a nearly worldwide presence. The comprehensive network makes it possible to guarantee optimal customer assistance on site. Delta Ohm products are still handled by international Delta Ohm distribution in Padua and product specialists within the GHM Group.

Members of GHM GROUP: GREISINGER I HONSBERG I Martens I IMTRON I Delta DEIM



Your direct contact to us



+49 2191 9672-0



info@ghm-group.de



Headquarters

GHM Messtechnik GmbH
GHM GROUP CORPORATE
Tenter Weg 2-8
42897 Remscheid | GERMANY
Phone +49 2191 9672-0
Fax +49 2191 9672-40
info@ghm-group.de
www.ghm-group.de

Center of Competence

GHM Messtechnik GmbH
GHM GROUP – Greisinger
Hans-Sachs-Straße 26
93128 Regenstauf | GERMANY
Phone +49 9402 9383-52
Fax +49 9402 9383-33
info@greisinger.de
www.greisinger.de

GHM Messtechnik GmbH
GHM GROUP – Imtron
Carl-Benz-Straße 11
88696 Owingen | GERMANY
Phone +49 7551 9290-0
Fax +49 7551 9290-90
info@ghm-group.de
www.ghm-group.de

GHM Messtechnik GmbH
GHM GROUP – Honsberg
Tenter Weg 2–8
42897 Remscheid | GERMANY
Phone +49 2191 9672-0
Fax +49 2191 9672-40
info@ghm-group.de
www.ghm-group.de

Delta OHM S.r.l. a socio unico GHM GROUP – Delta OHM Via Marconi 5 35030 Caselle di Selvazzano Padova (PD) | ITALY Phone +39 049 8977150 info@deltaohm.com www.deltaohm.com GHM Messtechnik GmbH
GHM GROUP – Martens
Kiebitzhörn 18
22885 Barsbüttel | GERMANY
Phone +49 40 67073-0
Fax +49 40 67073-288
info@ghm-group.de
www.ghm-group.de

Valco srl
GHM GROUP – Val.co
Via Rovereto 9/11
20014 S. Ilario di Nerviano
Milano (MI) | ITALY
Phone +39 0331 53 59 20
valco@valco.it
www.valco.it

GHM GROUP International

Austria

GHM Messtechnik GmbH Office Austria Breitenseer Str. 76/1/36 1140 Vienna | AUSTRIA Phone +43 660 7335603 a.froestl@ghm-messtechnik.de www.qhm-group.de

Brazil & Latin America

GHM Messtechnik Do Brasil Ltda Av. José de Souza Campos, 1073, cj 06 | Campinas, SP 13025 320 | BRAZIL Phone +55 19 98275 0069 info@grupoghm.com.br

Czech Republic/Slovakia

GHM Greisinger s.r.o.
Ovci hajek 2/2153
158 00 Prague 5
Nove Butovice | CZECH REPUBLIC
Phone +420 251 613828
Fax +420 251 612607
info@greisinger.cz
www.greisinger.cz

Denmark

GHM Maaleteknik ApS Maarslet Byvej 2 8320 Maarslet | DENMARK Phone +45 646492-00 Fax +45 646492-01 info@ghm.dk www.ghm.dk

France

GHM GROUP France SAS Parc des Pivolles 9 Rue de Catalogne 69150 Décines (Lyon) | FRANCE Phone +33 6 60 32 06 35 contact@ghm-group.fr www.ghm-group.fr

India

GHM Messtechnik India Pvt Ldt. 209 | Udyog Bhavan Sonowala Road | Gregaon (E) Mumbai - 400 063 | INDIA Phone +91 22 40236235 info@ghmgroup.in www.ghmgroup.in

Italy

Sales Greisinger & Delta OHM GHM GROUP – Delta OHM Via Marconi 5 35030 Caselle di Selvazzano Padova (PD) | ITALY Phone +39 049 8977150 info@deltaohm.com

Italy

Sales Honsberg, Martens, Val.co GHM GROUP – Val.co Via Rovereto 9/11 20014 S. Ilario di Nerviano Milano (MI) | ITALY Phone +39 0331 53 59 20 alessandro.perego@valco.it

Netherlands

GHM Meettechniek BV Zeeltweg 30 3755 KA Eemnes NETHERLANDS Phone +31 35 53805-40 Fax +31 35 53805-41 info@ghm-nl.com www.ghm-nl.com

South Africa

GHM Messtechnik SA (Pty) Ltd 16 Olivier Street Verwoerdpark, Alberton 1453 SOUTH AFRICA Phone +27 74 4590040 j.grobler@ghm-sa.co.za

